



# LIQUA-TOX<sup>®</sup> II

## SAFETY DATA SHEET

ACCORDING TO REGULATION: OSHA  
Hazard Communication Standard 29 CFR 1910.1200

DATE OF ISSUE:  
January 2015

PREPARED BY:  
CAR

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** LIQUA-TOX<sup>®</sup> II

**EPA Registration Number:** 12455-61

**Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses:** Anticoagulant Rodenticide - Ready to use

**Uses advised against:** Use only for the purpose described above

**MANUFACTURER/SUPPLIER:**

Bell Laboratories, Inc.

3699 Kinsman Blvd.

Madison, WI 53704, USA

Email: sds@belllabs.com

Phone: 608-241-0202

Medical or Vet Emergency: 877-854-2494 or 952-852-4636

Spill or Transportation Emergency: 800-424-9300 (CHEMTREC)

### 2. HAZARD IDENTIFICATION

**Classification according to Regulation OSHA 1910.1200(d):** Not classified

See Section 15 for information on FIFRA applicable safety, health, and environmental classifications.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	% By weight
Sodium Diphacinone [2-(Diphenylacetyl-1H-indene-1,3(2H)-dione, Sodium salt]	42721-99-3	0.106%
Inert and Non-Hazardous Ingredients	Proprietary	99.894%

### 4. FIRST AID MEASURES

**Description of first aid measures**

**Ingestion:** Call physician or emergency number immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed by physician.

**Inhalation:** Not applicable.

**Eye contact:** Hold eye open and rinse slowly with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation develops, obtain medical assistance.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If irritation develops, obtain medical assistance.

**Most important symptoms and effects, both acute and delayed**

Ingestion of excessive quantities may cause nausea, vomiting, loss of appetite, extreme thirst, lethargy, diarrhea, bleeding.

**Advice to physician:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated for bishydroxycoumarin overdoses. Repeat as necessary as based upon monitoring of prothrombin times.

**Advice to Veterinarian:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

## 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable Extinguishing Media: water, foam or inert gas.

Unsuitable Extinguishing Media: None known.

**Special hazards arising from the mixture:** High temperature decomposition or burning in air can result in the formation of toxic gases, which may include carbon monoxide.

**Advice for firefighters:** Wear protective clothing and self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Gloves should be worn when handling the bait. Collect spillage without creating dust.

**Environmental precautions:** Do not allow bait to enter drains or water courses. Where there is contamination of streams, rivers or lakes contact the appropriate environment agency.

### Methods and materials for containment and cleaning up

**For Containment:** Soak up spilled material on an inert absorbent. Place in properly labeled container for disposal or re-use.

**For Cleaning Up:** Wash contaminated surfaces with detergent. Dispose of all wastes in accordance with all local, regional and national regulations.

**Reference to other sections:** Refer to Sections 7, 8 & 13 for further details of personal precautions, personal protective equipment and disposal considerations.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Do not handle the product near food, animal foodstuffs or drinking water. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**Conditions for safe storage, including any incompatibilities:** Store only in original container in a cool, dry place, inaccessible to pets and wildlife. Do not contaminate water, food or feed by storage or disposal. Keep containers closed and away from other chemicals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Established Limits

Component	OSHA	ACGIH	Other Limits
Diphacinone	Not Established	Not Established	Not Established

**Appropriate Engineering Controls:** Not required

**Occupational exposure limits:** Not established

### Personal Protective Equipment:

**Respiratory protection:** Not required

**Eye protection:** Not required

**Skin protection:** Shoes plus socks, and waterproof gloves.

**Hygiene recommendations:** Wash thoroughly with soap and water after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance/Color:</b>	Pale yellow liquid
<b>Odor:</b>	None
<b>Odor Threshold:</b>	Not applicable, odor not associated with a hazardous material.
<b>pH:</b>	Not determined
<b>Melting point:</b>	Not applicable to rodenticide bait
<b>Boiling point:</b>	100° C
<b>Flash point:</b>	Not applicable, Liqua-Tox II does not contain components classified as flammable.
<b>Evaporation rate:</b>	Not determined.
<b>Upper/lower flammability or explosive limits:</b>	Not applicable, Liqua-Tox II does not contain components classified as flammable or explosive.
<b>Vapor Pressure:</b>	Not determined
<b>Vapor Density:</b>	Not determined
<b>Relative Density:</b>	1.003 g/mL @ 20°C
<b>Solubility (water):</b>	Soluble
<b>Solubility (solvents):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not applicable, Liqua-Tox II does not contain components classified as flammable.
<b>Decomposition temperature:</b>	Not applicable to rodenticide bait
<b>Viscosity:</b>	Not determined.

## 10. STABILITY AND REACTIVITY

**Reactivity:** Stable when stored in original container in a cool, dry location.

**Chemical stability:** Stable when stored in original container in a cool, dry location.

**Possibility of hazardous reactions:** Refer to Hazardous decomposition products

**Conditions to avoid:** Avoid extreme temperatures (below 0°C or above 40°C).

**Incompatible materials:** Avoid strongly alkaline materials.

**Hazardous decomposition products:** High temperature decomposition or burning in air can result in the formation of toxic gases, which may include carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Acute Toxicity

**LD50, oral (ingestion):** >5000 mg/kg (rats) (Diphacinone Rat LD50 oral: 2.3 mg/kg bw).

**LD50, dermal (skin contact):** > 2000 mg/kg (rats) (Diphacinone rabbit LD50 dermal: 3.6 mg/kg bw).

**LC50, inhalation:** Liqua-Tox II is a liquid and therefore exposure by inhalation is not relevant.

**Skin corrosion/irritation:** Not irritating to skin.

**Serious eye damage/Irritation:** Not irritating to eyes.

**Respiratory or skin sensitization:** Dermal sensitization: Not a Sensitizer (Guinea pig maximization test).

**Germ cell mutagenicity:** Liqua-Tox II contains no components known to have a mutagenetic effect.

**Carcinogenicity:** Liqua-Tox II contains no components known to have a carcinogenetic effect.

Components	NTP	IARC	OSHA
Diphacinone	Not listed	Not listed	Not listed

**Reproductive Toxicity:** Liqua-Tox II : No data

**Aspiration Hazard:** Not applicable. Liqua-Tox II is a liquid.

**Target Organ Effects:** Reduced blood clotting ability.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity Effects:** This product is extremely toxic to fish, birds and other wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

**Persistence and degradability:** Liqua-Tox II is inherently biodegradable.

**Bioaccumulative potential:** Not determined for Liqua-Tox II . Diphacinone water solubility is extremely low (< 0.1mg/l).

**Mobility in Soil:** Not determined for Liqua-Tox II . Mobility of Diphacinone in soil is considered to be limited.

**Other adverse effects:** None.

### 13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**Pesticide Disposal:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**Container Handling:** Non-refillable container. Do not reuse or refill this container. [Plastic:] Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. [Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

### 14. TRANSPORT INFORMATION

**UN number:** Not regulated

**UN proper shipping name:** Not regulated

**Transport hazard class(es):** Not regulated

**Packing group :** Not regulated

**Environmental Hazards**

**DOT Road/Rail:** Not considered hazardous for transportation via road/rail.

**DOT Maritime:** Not considered hazardous for transportation by vessel.

**DOT Air:** Not considered hazardous for transportation by air.

**Freight Classification:** LTL Class 60

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:** Not applicable

**Special precautions for user:** None

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**FIFRA:** This pesticide product is regulated by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The safety, health, environmental, and hazard information required on the pesticide label is listed below and reflected throughout this SDS. The pesticide label also includes other important information, including directions for use.

**Signal Word:** CAUTION

**Precautionary Statements:** Contains the anticoagulant Diphacinone which may cause bleeding if ingested. Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

**Potential Health Effects:**

**Eye Contact:** May cause irritation

**Skin Contact:** Non-irritating to the skin

**Ingestion:** Harmful if swallowed

**TSCA:** All components are listed on the TSCA Inventory or are not subject to TSCA requirements

**CERCLA/SARA 313:** Not listed

**CERCLA/SARA 302:** Not listed

### 16. OTHER INFORMATION

For additional information, please contact the manufacturer noted in Section 1.

<b>NFPA</b>	Health: 1 (caution)	Flammability: 0 (will not burn)	Reactivity: 0 (stable)	Specific Hazard: None
<b>HMS</b>	Health: 2 (moderate)	Flammability: 0 (minimal)	Reactivity: 0 (minimal)	Protective Equipment: B

**Disclaimer:** The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Bell Laboratories, Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your consideration and investigation. The user is responsible to ensure that they have all current data, including the approved product label, relevant to their particular use.