



Maxforce[®] FLY SPOT BAIT

Tear along dotted line

ACTIVE INGREDIENT: (imidacloprid, 1-[2-(2-dimethyl-2-pyridyl)ethyl] N-nitro-2-methylimidazole) 10.0%
 OTHER INGREDIENTS 89.9%
 TOTAL 100.0%
 EPA Reg. No. 432-1462 EPA Est. No. 32907-NJ-1

**STOP - Read the label before use.
Keep out of reach of children.**

CAUTION

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to eat or drink unless told to do so.
If on skin or clothing:	<ul style="list-style-type: none"> • Wash all contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

If case of emergency, call toll free the Bayer Environmental Science Emergency Response Helpline No. 1-800-525-2049. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Take to Physician. Be specific and state as available. Treat the patient symptomatically.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Irritant if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves made of any waterproof material such as heavy leather, butyl rubber, nitrile rubber, neoprene rubber, natural rubber polyethylene, polypropylene (PP), or other.

ENVIRONMENTAL HAZARDS
 This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to sublethal areas (such as near high water mark). Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if there are visiting bees to the treatment area. The chemical has properties and characteristics associated with chemicals selected for groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

PRODUCT FACTS	
<ul style="list-style-type: none"> • Fast acting • Contains 2 specially formulated mixtures of attractants 	<ul style="list-style-type: none"> • Contains Insect Free resistant to organophosphates, carbamates, and pyrethroid insecticides.
MAXIMIZE FLY SPOT BAIT <ul style="list-style-type: none"> • A bait that is consumed by house flies • Easy to apply • Fast action • Outdoor residual efficacy up to 14 days unless the bait is completely consumed • In animal facilities and protected areas, residual efficacy can last up to 16 weeks unless the bait is completely consumed 	<ul style="list-style-type: none"> • Contains the attractant sucrose • Contains 2 powerful irritants designed to lure house flies to their death • Contains Stim[®] lures that help prevent resistance by non-target insects, including wild birds
WHERE TO APPLY <ul style="list-style-type: none"> • In and around agricultural livestock production facilities, including but not limited to poultry houses, turkey and chicken houses, cattle, sheep and goat facilities, hives, swine farms, horse confinement buildings, dog kennels, and horse stables. 	<ul style="list-style-type: none"> • Around the exterior of commercial and residential structures, or partly enclosed or protected areas • In non-breathed areas of commercial facilities
HOW TO APPLY <ul style="list-style-type: none"> • Mix in water and spray or pour on surfaces 	
CONCENTRATION <ul style="list-style-type: none"> • Use 10 oz of product in 1 gallon of treated spray to treat fly nesting surfaces in buildings with 1,000 sq ft of floor space 	
RE-APPLY <ul style="list-style-type: none"> • Re-apply according to label unless 14 days 	
QUESTIONS?? <ul style="list-style-type: none"> • For questions or comments, call toll free 1-800-525-2049 	

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
IMPORTANT: Read entire label before using this product.
 Product Information
 This product is a bait formulated to control house flies in and around environments, in animal confinement areas (e.g., cattle, poultry, swine), in commercial establishments, and outdoors in residential areas. The product can be

used as a spray for treatment of surfaces, such as stable walls or waste containers, or it can be used as a pour-on application to walls and other surfaces such as floors and compartment walls.
 There is no need to spray the complete surface because the flies will attract pests to the treated area. Begin applications at the start of the season before fly populations have reached their peak.
 Bait results occur when the product is applied to many locations throughout the structure or facility. Spray the product on surfaces where house flies tend to rest. House flies prefer warm, still sites for resting, so avoid cool or windy locations. Begin applications at the start of the season before fly populations have reached their peak.

Net Contents: 2 oz (56.7 g)
 79000683
 79040482C 140407AV2